



Banner

THE POWER COMPANY



JUMP STARTER



P3 Professional Evo MAX

Maximized power and proved technology for heavy duty applications

Increased-power rated P3 Evo Jump Starter for all common vehicles. This switchable power supply unit can also be used for mobile devices like electric tools (230 V power supply also possible with special converter). Rugged body housing for professional task. Easy and safe to use including reverse battery protection with audible and visual warning. Equipped with LED flashlight for simple working in dark environment.



FEATURES

Construction: heavy duty housing, premium copper cable incl. clamps holder

Testing Function: battery voltage test

Protection: on/off switch, reverse battery protection with audible and visual warning

Clamps: replaceable, fully isolated brass clamps with LED-flash light

Display: big LCD-Display

Battery: replaceable, 25Ah high-performance AGM HD battery

Charging: incl. automatic charger or direct-charging over 12 V DC car cigarette lighter interface

Accessories: charging leads for 12 V DC car cigarette lighter interface, automatic charger

APPLICATION

Professional

12 V:



TECHNICAL DATA

Type:	Booster P3 Professional Evo MAX
Nominal Voltage:	12 V
Cranking Amps:	$I_{max} = 3100 \text{ A}$
Battery Capacity:	25 Ah AGM HD
Charger:	230 V AC / 12 V DC, 1.5 A
Dimension:	280 x 160 x 350 mm
Weight:	10.5 kg
Power Cable:	1.1m ($\varnothing 28 \text{ mm}^2$)

ITEM NUMBER

1220000702



P12/24 Start Truck Evo

12 V and 24 V Jump Starter for professional application

Optimized and powerful Start Booster for all common vehicles and trucks. Rugged body housing, easy and safe to use including reverse battery protection with audible and visual warning.

Equipped with LED flashlight for simple working in dark environment. This power supply unit can also be used for mobile devices like electric tools (230 V power supply also possible with special converter).



FEATURES

Construction: heavy duty housing, premium copper cable incl. clamps holder

Testing Function: battery voltage test with integrated digital voltmeter

Protection: 12V/24V/off switch, reverse battery protection with audible and visual warning

Clamps: replaceable, fully isolated brass clamps with LED-flash light **Display:** big LCD-Display

Battery: replaceable, high performance AGM batteries

Charging: automatic 4 A charger

Fuse: replaceable 500 A fuse with inspection window incl. spare fuse

Accessories: charging leads for 12 V DC car cigarette lighter interface, automatic charger

APPLICATION

Professional

12/24 V:



TECHNICAL DATA

Type:	Booster P12/24 Start Truck EVO
Nominal Voltage:	12/24 V
Cranking Amps:	$I_{max} = 1.600 \text{ A} / 3.200 \text{ A}$
Battery Capacity:	2x 16 Ah AGM HD
Charger:	230 V AC / 12 V DC, 4 A
Dimension:	320 x 210 x 440 mm
Weight:	17.5 kg
Power Cable:	1.8m ($\varnothing 40 \text{ mm}^2$)

ITEM NUMBER

1220000311



JUMP STARTER 12V LITHIUM

12V Lithium Jump Starter for professional applications

Powerful booster device with the latest Lithium-Ion technology.

Minimum dimensions and only 0.8 kg !!

The animated display gives step by step instructions in text messages for a safe and successful crank.

Very low self-discharge, up to 70% power after 2 years.

A bright LED light facilitates working in the dark.



FEATURES

Construction: housing with edge protection, 12V port, USB port and LED light

Test Function: test voltage of the battery with integrated digital voltmeter

Protection: protected against reverse polarity, overvoltage, overload, short circuit and sparks

Clamps: interchangeable, fully isolated brass clamps

Display: large LED display with text messages in the languages EN, DE and FR

Battery: modern and safe high-performance Lithium-Iron-Phosphate battery

Charging: fast automatic 1.000 mA charger, charger for car 12V cigarette lighter

Contents: Jump Starter, clamps, battery charger, charger for car (12VDC), USB adapter, storage bag and instruction manual

APPLICATION

Professional

12 V:



TECHNICAL DATA

Type:	Jump Starter 12V Lithium
Battery Voltage:	12 V
Cranking Power:	400 A (up to 10 cranks with one charged battery)
Battery Capacity:	12.000 mAh (LiFePO4)
Vehicle Motor Size:	up to 3.0L petrol motors, up to 2.0L diesel motors
Charger:	100-240 V AC / 12 V DC
Dimension:	21 x 10 x 4 cm
Weight:	0,8 kg

ITEM NUMBER

1220008000



JUMP STARTER 24V LITHIUM

24V Lithium Jump Starter for professional applications

High performance Jump Starter with the latest Lithium-Ion technology for extremely high starting performance, very low self-discharge (up to 70% power after 2 years) and maximum safety standard. Bright LED lights makes it easier to work in the dark. Minimum dimensions and only 2.2 kg weight !! Ideal for trucks, buses, construction- and agricultural machines.



FEATURES

- Construction:** rugged metal housing with rubber protection, LED work light and wide carrying handle
- Safety:** protection against reverse polarity, overvoltage, overload, short circuit and sparks
- Clamps:** massive, interchangeable, fully insulated brass clamps, 16mm² cable
- Display:** multicolor LED display with battery status indicator
- Battery:** modern high-performance Lithium-Ion Polymer battery
- Charging:** automatic 500 mA charger, charger for vehicle 12/24V cigarette lighter
- Contents:** Jump Starter, clamps, battery charger, charger for car (12/24VDC), mounting hook, storage bag and instruction manual

APPLICATION

Professional
24 V System:



TECHNICAL DATA

Type:	Jump Starter 24V Lithium
Battery Voltage:	24 V
Cranking Power:	1.000 A (up to 10 cranks with one charged battery)
Battery Capacity:	9.000 mAh (LiPol), 199,8 Wh
Vehicle Motor Size:	up to 13.000 cm ³ engines
Charger:	100-240 V AC, 50-60 Hz / 24 V DC
Dimension:	23 x 19 x 7 cm
Weight:	2,2 kg

ITEM NUMBER

1220009000



A: Banner Batterien Österreich GmbH, A-4021 Linz-Austria, Postfach 777, Banner Straße 1, Tel. +43/(0)732/ 38 88-0
CH: Banner Batterien Schweiz AG, CH-5746 Walterswil, Banner Straße 1, Tel. +41/(0)840 Banner (226637)
D: Banner Batterien Deutschland GmbH, D-85391 Allershausen, Kesselbodenstrasse 3, Tel. +49/(0)6441/30 73-23000

bannerbatterien.com

